



**History** - Established in 2006, Q Acoustics has been a success right from the start. Its first products, the '1000 Series' shook up the UK loudspeaker industry, received unprecedented praise from reviewers worldwide and scooped prestigious Awards. More Awards followed with the release of the upgraded '1000i Series', but not satisfied with merely designing truly remarkable conventional loudspeakers, Q Acoustics' design team introduced 'Q AV' the world's first speakers to feature 'BMR' (Balanced Mode Radiator) drive units, enabling for the first time, the whole family to hear perfect home cinema sound, wherever they sat within the room. They impressed 'The Sunday Times' so much they said: "Some day all speaker systems will be like this" (January 2008).

## Q3000 Series

We're very proud to confirm that Q Acoustics' design team have done it again! We tasked them to design a completely new range of loudspeakers that would better their previous achievements – the hugely successful and highly acclaimed '2000i' Series.

The goal was to 'raise the bar' still further and once again set new performance standards for affordable loudspeakers.

The results very clearly speak for themselves.

A fusion of both evolutionary and revolutionary thinking, the new range benefits from state-of-the-art design technology, as well as improvements to the cabinet construction derived from our ground breaking 'Concept' models.

An example is the new, bespoke, 3000 Series, '2 in 1', Concentric Ring Dome tweeter. It achieves its astounding sonic performance: ultra-low distortion and wide dispersion, by combining the best properties of both 'Ring radiator' and 'Dome' type tweeter designs. Beautiful to behold, and available in five attractive finishes, the new Q Acoustics 3000 Series are simply astonishingly good loudspeakers.

Model	Product code	Description / Specifications	Finish	RRP
<b>R</b> <b>Q3010</b>	QA3010	Compact bookshelf / Wall mount speaker	Matte graphite	399.95
	QA3012		American Walnut	
	QA3014		Black Leather	
	QA3016		Black Lacquer	
	QA3018		White Lacquer	

<b>R</b> <b>Q3010</b>	QA3010	Compact bookshelf / Wall mount speaker	Matte graphite	399.95
	QA3012		American Walnut	
	QA3014		Black Leather	
	QA3016		Black Lacquer	
	QA3018		White Lacquer	
				499.95



Pictured in Matte Graphite

<b>Enclosure type:</b> 2-way reflex
<b>Bass Unit:</b> 100mm
<b>Treble Unit:</b> 25mm
<b>Frequency Response:</b> 68Hz - 22kHz
<b>Nominal Impedance:</b> 6ohm
<b>Minimum Impedance:</b> 4ohm
<b>Sensitivity:</b> 86dB
<b>Recommended Power:</b> 15 - 75w
<b>Crossover Frequency:</b> 2.8kHz
<b>Dimensions H/D/W mm:</b> 235 x 200 x 150
<b>Weight:</b> 3.6kg



**Forbes**

**WHAT HI-FI?**  
SOUND AND VISION



**HOME CINEMA**  
BEST BUY

<b>R</b> <b>Q3020</b>	QA3020	Medium bookshelf / Wall mount speaker	Matte graphite	499.95
	QA3022		American Walnut	
	QA3024		Black Leather	
	QA3026		Black Lacquer	
	QA3028		White Lacquer	
				599.95



Pictured in American Walnut

<b>Enclosure type:</b> 2-way reflex
<b>Bass Unit:</b> 125mm
<b>Treble Unit:</b> 25mm
<b>Frequency Response:</b> 64Hz - 22kHz
<b>Nominal Impedance:</b> 6ohm
<b>Minimum Impedance:</b> 4ohm
<b>Sensitivity:</b> 88dB
<b>Recommended Power:</b> 25 - 75w
<b>Crossover Frequency:</b> 2.9kHz
<b>Dimensions H/D/W mm:</b> 260 x 226 x 170
<b>Weight:</b> 4.6kg



**WHAT HI-FI?**  
SOUND AND VISION



<b>Stands</b>	QA3106	Speaker Stands for the Q3010 & Q3020	Black	299.95
	QA3108		White	

Model	Product code	Description / Specifications	Finish	RRP
R Q3050	QA3050	Floorstanding speaker	Matte graphite	1399.95
	QA3052		American Walnut	
	QA3054		Black Leather	1699.95
	QA3056		Black Lacquer	
	QA3058		White Lacquer	
		<b>Enclosure type:</b> 2-way reflex <b>Bass Unit:</b> 2 x 165mm <b>Treble Unit:</b> 25mm <b>Frequency Response:</b> 44Hz - 22kHz <b>Nominal Impedance:</b> 6ohm <b>Minimum Impedance:</b> 4ohm <b>Sensitivity:</b> 92dB <b>Recommended Power:</b> 25 - 150w <b>Crossover Frequency:</b> 2.6kHz <b>Dimensions H/D/W mm:</b> 1000 x 298 x 200 <b>Weight:</b> 17.8kg	 <p>a masterpiece in its class – so well blended is the mix of skilful engineering for the price. Voicing the ingredients to give a great sound</p>	 <p>WHAT HI-FI? AWARDS 2015 Stereo speakers Best floorstander under £600 Q Acoustics 3050</p>
R Q3070S	QA3070	Active subwoofer	Matte graphite	799.95
	QA3072		American Walnut	
	QA3074		Black Leather	899.95
	QA3076		Black Lacquer	
	QA3078		White Lacquer	
		<b>Enclosure type:</b> Ported <b>Bass Unit:</b> 2 x 170mm long throw <b>Amplified Power:</b> 140W rms <b>Crossover Frequency:</b> 50Hz - 150Hz (var) <b>Dimensions H/D/W mm:</b> 400 x 425 x 200 <b>Weight:</b> 13.6kg		
		<b>Pictured in Black Lacquer</b>		
R Q3090C	QA3090	Centre speaker (Can be wall mounted)	Matte graphite	349.95
	QA3092		American Walnut	
	QA3094		Black Leather	449.95
	QA3096		Black Lacquer	
	QA3098		White Lacquer	
		<b>Enclosure type:</b> 2-way reflex <b>Bass Unit:</b> 2 x 100mm <b>Treble Unit:</b> 25mm <b>Frequency Response:</b> 75Hz - 22kHz <b>Nominal Impedance:</b> 6ohm <b>Minimum Impedance:</b> 4.4ohm <b>Sensitivity:</b> 89dB <b>Recommended Power:</b> 25 - 100w <b>Crossover Frequency:</b> 2.7kHz <b>Dimensions H/D/W mm:</b> 150 x 200 x 430 <b>Weight:</b> 6kg		
		<b>Pictured in Black Leather</b>	<b>Wall Bracket</b> QA3100 Wall bracket for Q3010, Q3020 & Q3090C	Black (Each) 49.95

## Q3000 Series Packages

Model	Product code	Description / Specifications	Finish	RRP
			Matte graphite	
			American Walnut	
			Black Lacquer	
			White Lacquer	
<b>Q3010 5.1 Package</b>	QA3010-5.1G QA3010-5.1W QA3010-5.1B QA3010-5.1WH	2 Pair 3010, 1 Q3000C, 1 Q3070S		1899.95
				2299.95



Q Acoustics' superlative speaker package sets a new benchmark for standmount systems. Its first class performance and delectable design represent outstanding value for money, although fans of the lacquer finish will need deeper pockets.

			Matte graphite		2799.95
			American Walnut		
			Black Lacquer		
			White Lacquer		
<b>Q3050 5.1 Package</b>	QA3050-5.1G QA3050-5.1W QA3050-5.1B QA3050-5.1WH	2 3050, 2 3010, 1 Q3000C, 1 Q3070S			3299.95



## Concept Series

The 'Concept 20' is a special loudspeaker which goes beyond anything that Q Acoustics has achieved before. It's a beautifully styled product which we confidently believe provides a level of sonic performance previously thought impossible at its price point.

To achieve this extraordinary result, Q Acoustics' design team applied both scientific methodology and advances in technology to address the fundamental problem of cabinet resonance, which is widely recognised as the single biggest hurdle preventing 'high end' sonic performance at a reasonable price.

The 'Concept 20' proves cabinet resonance need be a problem no longer. Incorporating a cabinet within a cabinet design, its inner and outer enclosures are bound together by a bespoke adhesive which never quite sets.

This configuration (known as Gelcore™ construction) allows the kinetic energy generated by the drive units within the cabinet to be dispersed as heat, preventing it colouring and degrading the speaker's musical output.

Combine this new cabinet design with the Concept 20's advanced, high dynamic, low distortion drive units and the result is a loudspeaker which, at its price, is nothing short of sensational.

Model	Product code	Description / Specifications	Finish	RRP
	Concept 20	QA2625	Gloss white	
		QA2620	Gloss black	799.95



<b>Enclosure type:</b> 2-way reflex
<b>Bass Unit:</b> 125mm
<b>Treble Unit:</b> 25mm
<b>Frequency Response:</b> 64Hz - 22kHz
<b>Nominal Impedance:</b> 6ohms
<b>Minimum Impedance:</b> 4ohms
<b>Sensitivity:</b> 88dB
<b>Recommended Power:</b> 25 - 75w
<b>Crossover Frequency:</b> 2.9kHz
<b>Dimensions H/D/W mm:</b> 260 x 280 x 170
<b>Weight:</b> 5.6kg



- Gelcore - "Cabinet within a cabinet"

"you find yourself immersed in the middle of a vast stereo soundstage"

"exceptionally clean, controlled and detailed"

### Sonically Matching Floor Stand

To optimise sonic performance, we have also incorporated Gelcore™ Construction into a unique, visually striking and resonance-free matching floor stand for the new loudspeaker.

The beautiful Concept 20 speakers and high performance stands come in a choice of either Gloss White or Gloss Black, lacquered finishes.

	Concept 20 Stand	QA2125	Hi end Gel-Core Speaker stand	Gloss white		599.95
		QA2120		Gloss black		



<b>Dimensions H/D/W mm:</b> 655 x 386 x 240
<b>Weight:</b> 12kg

NOTE - Speaker not included.



If you're thinking of buying the Concept 20s, consider the stands essential if you want to hear what the speakers can really do.

## Concept 40

The **Concept 40** is Q Acoustics' flagship floorstanding speaker. It is the newest addition of the acclaimed award winning Concept range, and we are highly confident about its ability to deliver unparalleled sonic performance at its price. We strongly believe that these HiFi speakers set new standards, and can even outperform those that are in a much higher price bracket.

In common with the Concept 20 its award-winning 'little brother', the new Concept 40's unparalleled soundstage, dynamics and sheer musicality is achieved by incorporating outstanding, bespoke drive units into a lacquered, State-of-the-Art, 'Gelcore™ Construction', ultra-low resonance cabinet, which ultimately allows them to perform at its very best. The drive units have powerful oversized magnets attached to them to lower the bass extension and the tripod stand allows these floorstanding loudspeakers to have perfect rigidity and contact with the floor to enhance its performance.

The aluminium facia plate not only enhances the aesthetics, but also helps to reduce cabinet resonance further as it features a butyl clamp. With a sensitivity of 90dB, and a speaker impedance that never gets lower than 4 ohms, it means that the Concept 40 is easy to drive with any good quality amplifier. With a striking floorstanding design which is available in either high gloss black, or high gloss white, these loudspeakers really do look as good as they sound.

Model	Product code	Description / Specifications	Finish	RRP
Concept 40	QA2635 QA2630	Floorstanding speaker	Gloss white Gloss black	2199.95



<b>Enclosure type:</b> 2-way reflex
<b>Bass Unit:</b> 2 - 125mm
<b>Treble Unit:</b> 25mm
<b>Frequency Response:</b> 53Hz - 22kHz
<b>Nominal Impedance:</b> 8ohms
<b>Minimum Impedance:</b> 4ohms
<b>Sensitivity:</b> 90dB
<b>Recommended Power:</b> 25 - 150w
<b>Crossover Frequency:</b> 2.3kHz
<b>Dimensions H/D/W mm:</b> 972 x 288 x 380
<b>Weight:</b> 18.5kg



Model	Product code	Description	Finish	RRP
Centre	QA2695 QA2690	Concept Centre speaker	Gloss white Gloss black	599.95



<b>Enclosure type:</b> 2-way reflex
<b>Bass Unit:</b> 2 - 100mm
<b>Treble Unit:</b> 25mm
<b>Frequency Response:</b> 75Hz - 22kHz
<b>Nominal Impedance:</b> 6ohms
<b>Minimum Impedance:</b> 4ohms
<b>Sensitivity:</b> 88dB
<b>Recommended Power:</b> 25 - 75w
<b>Crossover Frequency:</b> 2.9kHz
<b>Dimensions H/D/W mm:</b> 150 x 198 x 430
<b>Weight:</b> 6.8kg

Model	Product code	Description	Finish	RRP
Wall supports	QA2130 QA2140	Centre glass wall support ( <b>Single</b> ) Speaker glass wall supports ( <b>Pair</b> )	Black / Glass	99.95 149.95



Centre Support	
Dimensions for wall plate H/W mm:	80mm / 160mm
Dimensions for glass shelf D/W mm:	250mm / 450mm
Speaker Supports	
Dimensions for wall plate H/W mm:	80mm / 160mm
Dimensions for glass shelf D/W mm:	295mm / 210mm

## Q Media Series

The Q Media **BT3** from multi-award-winning Q Acoustics is a no compromise sound system for todays mobiles, tablets and TVs. The Q-BT3 consists of just two bookshelf speakers, no separate amplifier is required. You stream your music wirelessly to the Q-BT3 via Bluetooth and high quality aptX. The Q-BT3 also features input-sensing wired connections, simply plug-in your TV or set-top box and the speakers turn on when required. A remote control is supplied, however, the clever Q-BT3 can be also be controlled with many of the remotes currently used by cable/satellite devises.

What really sets the Q Media BT3 apart from sound docks is pure quality of sound reproduction. Designed by the same very well respected team that produces all our award winning speakers the Q-BT3 is a 'no compromise' choice. Whatever content you choose, MP3 downloads, streamed music or sound from your TV, the versatile Q-BT3s will reward you with a real stereo hi-fi experience that single box sound-bars and docks just can't match.

**Features -**

- Real hi-fi speakers, which connect wirelessly
- Genuine stereo sound from all your home entertainment media
- Shelf, stand or table mount in portrait or landscape


Model	Product code	Description / Specifications	Finish	RRP
<b>R</b> <b>BT3 &amp; QED Streamer Pack</b>	QA7520-S	Active Bluetooth Speakers that now include the QED Streamer	Urban White	799.95
	QA7530-S		Juice Red	
	QA7540-S		Black Gloss	
	QA7550-S		White Gloss	
	QA7560-S		Red Gloss	999.95



<b>Dimensions (W x H x D):</b> 240mm x 148mm x 226mm (each)
<b>Power output:</b> 2 x 50W
<b>Speakers -</b>
<b>Bass unit:</b> 100mm
<b>Treble unit:</b> 25mm
<b>Connection options -</b>
Bluetooth V4.0 including aptX®
Analogue 3.5 mm stereo jack socket
Analogue RCA phono sockets
Digital optical (Toslink)
Subwoofer output (RCA)
Speaker terminals



<b>In the box</b>
1 x active (right) and 1 x passive (left) speaker
Remote control (battery included)
2 metre 3.5mm jack lead
2 metre RCA phono lead
4 metre speaker cable
UK AC mains cable
EU AC mains cable
User manual


**QED Streamer**


## Media 4 HiFi Soundbar

### The Hi-Fi soundbar with built-in subwoofer

The Q Acoustics Media 4 is a high performance soundbar designed to deliver high fidelity reproduction of music, and high quality audio from a TV or set top box, tablets and smartphones.

The Q Acoustics M4 features '**BMR**' driver units. These innovative speakers create clear room filling sound. An acoustically matched built-in high performance subwoofer adds real bass. You will enjoy a 'cinema' audio experience with the Q M4 compared with using the TV speakers alone.

The Q M4 is a 'Hi-Fi soundbar', designed to play **music and movies** with equal accomplishment.

With both analogue and optical inputs the unit can also be used with a variety of other entertainment sources such as streaming services like Spotify, CD players, portable music players, computers and internet radio.

The unit is also **Bluetooth compatible** using aptX lossless Bluetooth for audio streaming. This wireless connection can sync to almost any Bluetooth compatible audio device. It can remember up to eight pairings, so when friends or family come over, a 'guest' music player can get connected in just seconds. The aptX Bluetooth we use is V4.0 and is compatible with the V3.0, V2.1, V2.0 even V1.2 on some devices so will work with older devices.

Model	Product code	Description / Specifications	Finish	RRP
M4	QA7415	Soundbar with built in Sub & Bluetooth	Black	1099.95



Wall Mountable



#### Audio performance

Power output (THD - <1.00%) At rated power	100W (2 x 25W + 50W)
Frequency response (+/- 0.5dB)	20Hz to 20kHz
S/N ratio (A-Wtd)	-85dB
Line in 1 (RCA phono) input sensitivity	2.0Vrms
Line in 1 (RCA phono) input overload	2.2Vrms
Line in 2 (3.5mm jack) input sensitivity	1.0Vrms
Line in 2 (3.5mm jack) input overload	1.2Vrms



#### Speakers

LR drivers	BMR 65mm x 65mm
Subwoofer (Twin coil)	120mm x 150mm

#### Power consumption

Standby	<0.5 Watt
No signal (idle)	14 Watts

#### Bluetooth®

Bluetooth specification	V4.0 class 2 device
Latency	6ms
Internal stereo CODEC	16-bit
Stereo audio sample rate	up to 48kHz
Music enhancements	aptX®, SBC, MP3
Support for	A2DP, 802.11 co-existence

#### Dimensions / Weight

(W x H x D)	1000mm x 90mm x 142mm
Height including feet	105mm
Total weight	4.9 kg

## M3 Soundbar

### SIMPLICITY REDEFINED

The M3 is simplicity redefined where beautifully engineered sound meets beautiful design. M3 is an elegant, compact soundbar, designed to bring life to your living room without the clutter of a full Hi-Fi system. The M3 is a true plug and play soundbar. Connect it to a television using an HDMI (ARC) input and it becomes one with the TV, Switch on the TV and the M3 automatically brings clarity of speech and a depth of soundscape that transforms the TV sound.

### HEARING IS BELIEVING

It's hard to believe something so small delivers such a big, detailed sound. At Q Acoustics we have developed a streamlined acoustic offering that will allow you to discover previously unheard, subtle layers to your movie and music soundtracks through this compact soundbar.

Wide dispersion BMR drivers provide room-filling sound and clarity, whilst the inbuilt subwoofer gives a depth of soundscape that will transform your TV sound. The M3 boasts a MoviEQ control which has been designed to enhance movie sounds tracks, adding more bass; your home will rumble with powerful bass for that full blooded movie experience. To ensure the sound truly matches the picture up to 50ms of Lip Sync adjustment is available, adjustable in 10ms steps.

### INTELLIGENT CONNECTIVITY

With Q Acoustics' new Intelligent Pre-Amplifier (IPA) designed to seamlessly integrate into your home setup, connect it into your home entertainment setup using the ARC HDMI input, and forget about it. The M3 becomes one with your TV, leaving you to discover the two sides of this unique product, movie and music.

If you are unable to use an HDMI connection, both analogue (3.5mm jack) and digital (Toslink) are also available and we have taken the time to ensure that the M3 will work with leading satellite and cable infra-red (IR) remote controls to again avoid having multiple Remote Controls.

The M3 also incorporates Bluetooth aptX TM and NFC, which means you have full connectivity and streaming flexibility from any Bluetooth or NFC device. Enjoy your music from your favourite streaming service including iTunes, Spotify, Deezer and Tidal.

### YOUR WAY

We understand that everyone has a different room setup, and that a new gadget should not be intrusive to your current lifestyle, so we have taken the care to ensure your M3 will sound at its absolute best no matter how you place it. Sit it on a shelf, place it in a cabinet, or mount it on a wall, just change the switchable EQ, which adjusts the bass performance to suit each location and let us open your ears and allow you to enjoy movies and music as they were intended.

Model	Product code	Description / Specifications	Finish	RRP
M3	QA7442	Soundbar with HDMI	Black	799.95



Dimensions (W / H / D)	1000 / 70 / 125mm
Weight	4 kg
Mid-High driver	BMR 58mm
Bass driver	DVC 100 / 150mm
Optical DAC	24-bit 48Hz Toslink
Bluetooth (aptX / AAC / MP3 / SBC)	V4 Class 2
RCA Phono	2.10Vrms
3.5mm	1.10Vrms
HDMI ARC	ARC
Remote control	1
HDMI lead	1

### As featured in:



## Q7000i Series

### Don't be misled by beauty.

The new 7000i series speakers may look simply like very elegant and slender 'satellite' speakers. But in reality they are full range, true hi-fi speakers which deliver a wonderful, musical soundstage even without a subwoofer. This makes them an ideal choice when there is a requirement for a small discreet speaker and where a subwoofer cannot be accommodated. However, combine them with the matching 7070Si subwoofer and they will astonish you. Configured as a 2.1 stereo speaker system, their smooth, open, dynamic, ultra-low distortion sound quality comfortably outperforms many large (and far more expensive) floorstanding loudspeakers. As a full 5.1 Home Cinema speaker package the new 7000i is simply unrivalled. Its precision soundstage, powerful dynamics and rich deep bass make it the natural choice for both home cinema enthusiasts and discerning music lovers. It's no wonder the new 7000i has won a coveted 2013 'What Hi-Fi' award.

### What's new?

- Completely new drivers and voicing in all the speakers
- New classic matt black and white finishes, with gloss trim (Best of both worlds).
- The subwoofer has been reduced in size to take up much less space in the room, but without taking away the performance.
- Cleverly concealed cable management.
- Easily accessible volume and phase controls.
- keeps the option of the wall-mountable bracket (optional).

Model	Product code	Description / Specifications	Finish	RRP
	Q7000LRi	QA7825 QA7827	Pair of Satellite speakers	White Black



<b>Power handling:</b> 15-100 watts
<b>Drivers:</b> 2 x 75mm (3") long-throw drives
<b>Tweeter:</b> 25mm high frequency ring radiator
<b>Nominal impedance:</b> 6 ohms impedance
<b>Frequency Response:</b> 95 Hz - 20 kHz
<b>Efficiency:</b> 85dB @ 2.83V (free space)
<b>Dimensions (HxWxD mm incl. table stand):</b> 240 x 100 x 160mm
<b>Weight:</b> 1.6 kgs (each)



Model	Product code	Centre speaker	Finish	RRP
	Q7000C	QA7835 QA7837	White Black	399.95



<b>Power handling:</b> 15-100 watts
<b>Drivers:</b> 2 x 75mm (3") long-throw drivers
<b>Tweeter:</b> 25mm high frequency ring radiator
<b>Nominal impedance:</b> 6 ohms impedance
<b>Frequency Response:</b> 95 Hz - 20 kHz
<b>Efficiency:</b> 85dB @ 2.83V (free space)

Model	Product code	Speaker stands	Finish	RRP
	Q7000ST	QA7815 QA7817	White Black	349.95



<b>Base:</b> 320mm
<b>Height (Excluding speaker):</b> 780mm
<b>Weight:</b> 2.6kg
<b>Finish:</b> White & Black
<b>Sold in:</b> Pairs



Model	Product code	Description / Specifications	Finish	RRP	
	<b>Q7060Si</b>	QA7887 QA7886	Active Subwoofer	White Black	799.95



Compact Subwoofer
8" High Excursion driver
Accurate transient response, rhythmic timing
MDF, infinite baffle enclosure
150 watt amplifier
All terminals hidden
Side mounted, easy- access, controls
Discreet cable management
Other



<b>Amplifier:</b> 150w rms 300w peak analogue
<b>Bass driver:</b> 8"
<b>Frequency Response:</b> 35 Hz - 200 Hz
<b>Dimensions (HxWxD):</b> 324 x 480 x 155mm
<b>Weight:</b> 11 kgs

	<b>5.1 Pack</b>	QA8967 QA7866	5.1 Sub / Sat Pack	White Black	1999.95
--	-----------------	------------------	--------------------	----------------	---------



#### Best style package £700-£1000, Awards 2013. Got £900 to spend on a sub/sat package? Spend it here!

We are rather taken with the Q Acoustics Q7000i speaker system. And it's in the same way that we were smitten when we first heard the original Q7000.

You might get a touch more articulation and low-level dynamics from more expensive packages, but at the sub-£1000

#### Q Acoustics carefully tests the 'if it ain't broke don't fix it' maxim - 9/10

Q Acoustics knew there wasn't much wrong with the original 7000 series but this revision to the Q7000i has kept their offering very near the top of the pack against the best of the competition.



Q Acoustics can be rightly proud of the Q7000, which is proof that its freelance approach to speaker design can yield brilliant results. In fact, I reckon you'll be hard pressed to find the same level of performance from any other designer 5.1 system at this price. I'm beginning to wonder: do I really need floorstanders?





**'Q Install'** is a new and exciting range of installation loudspeakers. Featuring the very latest styling, technology and design to meet the most demanding requirements of our dealers and their clients.

## Why "Q" ?

**Cone technology** - All the in-ceiling models boast a 6.5" (165mm) polypropylene cone. In the superior '**Performance**' variants this is an injection-moulded, mass damped, **Nano Particle** based driver cone, for lower distortion and colouration.

**Grille** - Q Install has used cutting edge industrial and acoustic engineering to create a striking bezel and grille design that clips magnetically into place. Circular and square grille options are available to ensure the perfect match for each customer's décor. Grille geometry has been carefully optimized to ensure the perfect balance between sound and discreet appearance. Square and circular magnetic grilles are fully interchangeable without any need to change or remove the loudspeaker.

**Shallow mounting depth** - Shallow depth requirement - all models are less than 84 mm deep.

**Flame retardant** - Q Install speakers utilize 'UL94' flame retardant materials.

**Adjustable high's** - Adjustable high frequency output level feature in the '**Performance**' and '**Weatherproof**' models.

**High frequency** - Swivel tweeters (Excluding the QI 65CB) allow fine-tuning of the installation acoustics. Tweeters are fully 'open' on most models avoiding the use of protective bridges through the integration of Automatic Tweeter dome Recovery technology (ATR) that restores the dome after accidental deformation.

**Larger magnets** - '**Performance**' models feature a larger magnet assembly giving a 30% increase in program power handling capability. In addition precision components are utilized in the crossover filters, together with gold plated connectors.

**Moisture proof** - All models are moisture proof, with the **Weatherproof** models being suitable for more extreme use. Stainless steel fixings and corrosion resistant aluminium grilles are utilised together with fully sealed drive units to ensure no water ingress.

**Packaging** - Q Install speakers come carefully packaged with installation template and fitting instructions. All models feature protective driver dust covers and cloth backed grilles to facilitate painting should it be required.

**Purchase options** - Many models are available as singles to aid installer convenience and reduce the overhead of excess stock.

## Background Series

Model	Product code	Description / Specifications	Grille options	RRP
QI 65CB	QI1105/2	6.5" In ceiling background speaker (pairs)	Round Grille only	249.95



QI 65CB Features and Specifications
165mm (6.5") driver with horn-loaded HF sympathetic radiator
Low profile grilles, as used in other models in the Q Install range
Only supplied in a 10-pack
203mm cut out, 79mm depth

A quality in-ceiling speaker on a budget, the Q Acoustics Qi65CB is a fantastic value option!

### MINIMALISTIC IN EVERYWAY

Utilizing their years of experience, Q Acoustics have put their engineering prowess into creating a compact yet powerful unit. With a depth of less than 73mm and a slim bezel and grille design that clips magnetically into place, you can be assured that the Qi65CB will compliment your room in a discreet manner.

### POWER COMBINED WITH EFFICIENCY

Q Acoustics have a strong pedigree in producing award winning speakers and the Qi65CB inherits the benefit of this experience. The Qi65CB boasts a carefully designed full range 6.5" polypropylene driver that delivers a deep, taut bass response, detailed midrange and extended highs, to ensure an expansive and detailed sound stage. This design choice has the added benefit of being more efficient than traditional designs relying on crossovers, thus increasing its compatibility with partnering amplifiers and requiring less power to perform at higher volumes.

### PACKAGED FOR INSTALLS

Designed as an option for full home installs, the Q Acoustics Qi65CB is sold in packs of 10, perfect for upgrading your entire home and bringing music into every room. To make installation easy the Qi65CB comes with a template. Should you wish to paint the speakers to match your decor the Qi65CB also comes with protective dust covers and cloth backed grilles. The Qi65CB is also moisture proof and built utilizing 'UL94' flame retardant materials in their construction. Let the Q Acoustics Qi65CB help you fill your home with music, all on a budget!

## Professional Series

Model	Product code	Description / Specifications	Grille options	RRP	
R	Qi 65C	QI1110 QI1120	6.5" In ceiling speakers ( <b>Sold in pairs</b> )	Round grille Square grille	299.95



<b>Tweeter</b> - 19mm, Soft dome, Swivel type
<b>Woofer</b> - 6.5", Polypropylene
<b>Impedance (Nominal) Ohms</b> - 8
<b>Response (Low frequency)</b> -3dB - 75
<b>Exterior diameter (Round grille)</b> - 232mm
<b>Power handling</b> - 15 - 60 Watts
<b>Sensitivity</b> - 89 dB
<b>Maximum rear depth</b> - 79mm
<b>Grille</b> - Ultra thin bezel, Round or Square options, Magnetic
<b>Cutout</b> - 203mm
<b>Sold in</b> - Pairs



The Q Acoustics 6.5" Professional in-ceiling single stereo speaker features the latest stereo speaker technology that so that you can enjoy great sound with minimal installation. They give you the ability to listen to music throughout your home, even in bathrooms as they are moisture proof. Now you can listen to the same music in many rooms, where before it was practically impossible due to the impractical nature of having the speakers dotted around in each room.

Model	Product code	Description / Specifications	Grille options	RRP	
	Qi 80C	QI1208	8" In ceiling speaker ( <b>Sold in pairs</b> )	Round Grille only	499.95



<b>Tweeter</b> - 19mm, Soft dome, Swivel type
<b>Woofer</b> - 8", Polypropylene
<b>Impedance (Nominal) Ohms</b> - 8
<b>Response (Low frequency)</b> -3dB - 63Hz
<b>Exterior diameter</b> - 281mm
<b>Power handling</b> - 15 - 60 Watts
<b>Sensitivity</b> - 88 dB
<b>Maximum rear depth</b> - 87mm
<b>Grille</b> - Ultra thin bezel, Magnetic grille
<b>Cutout</b> - 248mm
<b>Sold in</b> - Pairs



The Q Acoustics 8" Professional in-ceiling stereo speaker features the latest styling and stereo speaker technology that is designed to meet the most demanding of your requirements. They give you the ability to listen to music throughout your home, even in bathrooms as they are moisture proof. Whereas before you were not able to listen to the same music in many rooms due to the impractical nature of having the speakers dotted around in each room, the 6.5" Professional in-ceiling stereo speaker now lets you do that.

	Qi 65CSt	QI1150 QI1160	In ceiling stereo speaker ( <b>Sold in singles</b> )	Round grille Square grille	249.95
--	----------	------------------	--	-------------------------------	--------



<b>Tweeter</b> - 2 19mm, Soft dome, fixed type
<b>Woofer</b> - 6.5", Polypropylene
<b>Impedance (Nominal) Ohms</b> - 8
<b>Response (Low frequency)</b> -3dB - 75
<b>Exterior diameter (Round grille)</b> - 232mm
<b>Power handling</b> - 15 - 60 Watts
<b>Sensitivity</b> - 86 dB
<b>Maximum rear depth</b> - 84mm
<b>Grille</b> - Ultra thin bezel, Round or Square options, Magnetic
<b>Cutout</b> - 203mm
<b>Sold in</b> - Singles



The Q Acoustics 6.5" Stereo Professional in-ceiling stereo speaker features the latest styling and stereo speaker technology that is designed to meet the most demanding of your requirements. They give you the ability to listen to music throughout your home, even in bathrooms as they are moisture proof. Whereas before you were not able to listen to the same music in many rooms due to the impractical nature of having the speakers dotted around in each room, the 6.5" Professional in-ceiling stereo speaker now lets you do that.

## Performance Series - In ceiling

### Nano Particle Technology

The advanced 'Nano particle' technology, incorporated into the cone material of the bass/midrange drive units of Q Install's 'Performance' series loudspeakers, delivers clear sonic advantages.

Nano particles are incredibly small, typically 100 nanometres in diameter, (which means 2000 of them, laid side by side, would be the same width as a human hair). Added to a conventional high quality cone material, such as polypropylene, they diffuse throughout the mixture to form a new nano-composite structure. The resultant cone boasts enhanced mechanical properties such as improved stiffness, reduced mass and an incredible 75% higher tensile strength. These technical advances deliver a faster transient response and reduced cone break up, leading to exceptionally low distortion, transparent and dynamic sound.



Model	Product code	Description / Specifications	Grille options	RRP
Qi 65CP	QI1130/2	6.5" In ceiling speaker (Sold in pairs)	Round grille	499.95



Tweeter - 25mm, <b>Switchable</b> Soft dome, Swivel type
<b>Woofers</b> - 6.5", Nano particle based cone, Larger magnet assembly
<b>Impedance (Nominal) Ohms</b> - 8
<b>Response (Low freq)</b> -3dB - 70Hz
<b>Exterior diameter (Round grille)</b> - 232mm
<b>Power handling</b> - 15 - 80 Watts
<b>Sensitivity</b> - 90 dB
<b>Crossover</b> - Higher spec crossover, Gold plated connectors
<b>Maximum rear depth</b> - 79mm
<b>Grille</b> - Ultra thin bezel, Round or Square options, Magnetic
<b>Cutout</b> - 203mm
<b>Sold in</b> - Pairs



The Q Acoustics 6.5" Performance in-ceiling stereo speaker offers the latest technology in order to fulfil the toughest of demands from an in-ceiling speaker. They give you the ability to listen to music throughout your home, even in bathrooms as they are moisture proof. Whereas before you were not able to listen to the same music in many rooms the 6.5" Performance in-ceiling stereo speaker gives you the ability to do that. Great for entertaining, or simply wanting to watch a movie, these speakers can serve for many purposes.

	Qi 8CP	QI1210/2	8" In ceiling speaker (Sold in pairs)	Round Grille only	599.95
--	--------	----------	---------------------------------------	-------------------	--------



Tweeter - 25mm, <b>Switchable</b> Soft dome, Swivel type
<b>Woofers</b> - 8", Nano particle based cone, Larger magnet assembly
<b>Impedance (Nominal) Ohms</b> - 8
<b>Response (Low freq)</b> -3dB - 60Hz
<b>Exterior diameter (Round grille)</b> - 281mm
<b>Power handling</b> - 15 - 80 Watts
<b>Sensitivity</b> - 90 dB
<b>Crossover</b> - Higher spec crossover, Gold plated connectors
<b>Maximum rear depth</b> - 97mm
<b>Grille</b> - Ultra thin bezel, Round only, Magnetic
<b>Cutout</b> - 248mm
<b>Sold in</b> - Pairs



The Q Acoustics 8" Performance in-ceiling stereo speaker features the latest styling and stereo speaker technology that is designed to meet the most demanding of your requirements. This is the largest size in the Q Install range, and will give amazing room filling sound. They give you the ability to listen to music throughout your home, even in bathrooms as they are moisture proof. Before listening to the same music throughout each room was impossible due to the impractical nature of having the speakers dotted around in each room, yet the 8" Performance in-ceiling stereo speaker now lets you do that.

## Performance Series - In wall

### In Wall Speakers

The new Q Install in-wall series offers an exhilarating range of speakers designed for home theatre applications demanding exceptional performance from loudspeakers that meet the needs of clients requiring stylish low profile aesthetics. They feature Q Install's superior Nano Particle mass damped polypropylene low frequency drive units with high powered coil and magnet assemblies for low distortion and high transient power capability. Full range speakers combine swivel capable silk dome mesh protected tweeters for fine system tuning together with additional high frequency level adjustment. The in-wall speakers feature low profile magnetic grilles for ease of installation, with optimised whole geometries for their frequency range.

High order crossovers are used to ensure a smooth frequency transition on two and 3 way units, particular care has been taken to ensure that speech remains clear at all times via attention to the mid-range frequency response and reduction of all sources of colouration. Installation is made particularly flexible by ensuring that all units require the minimum of installation depth.

Installers may specify from a range consisting of an 8" and 6.5" two way full range unit and a D'Appolito array LCR which is also ideal for use as a centre channel. A passive 8" sub is also offered to complement the full range units providing additional bass extension when used with an appropriate A/V receiver and power amplifier.

Model	Product code	Description / Specifications	Grille options	RRP
-------	--------------	------------------------------	----------------	-----

	<b>QI 65RP</b>	QI2110/2	6.5" In wall speaker ( <b>Sold in pairs</b> )	N/A	699.95
--	----------------	----------	---	-----	--------



### Speaker Specifications

Tweeter / Tweeter diameter:	Swivel / 1" (25mm)
Woofer diameter:	6.5"
Power handling (program):	15 - 75W
Impedance (nominal) ohms:	8
Sensitivity dB spl (2.83V, 1m):	85 (switchable HF)
Response (Low frequency) -3 dB:	65 Hz
Max rear depth:	79 mm
Size: Round / Square grilles:	306 mm x 219 mm
Cutout (nominal):	275 mm x 187 mm
<b>Sold in - Pairs</b>	



The **6.5"** in-wall speaker features Q Install's superior Nano Particle mass damped polypropylene low frequency drive units with high powered coil and magnet assemblies for low distortion and high transient power capability. Full range speakers combine swivel capable silk dome mesh protected tweeters for fine system tuning together with additional high frequency level adjustment. The 6.5" in-wall speaker features low profile magnetic grilles for ease of installation, with optimised whole geometries for their frequency range.

	<b>QI 80RP</b>	QI2210/2	8" In wall speaker ( <b>Sold in pairs</b> )	N/A	799.95
--	----------------	----------	---	-----	--------



### Speaker Specifications

Tweeter / Tweeter diameter:	Swivel / 1" (25mm)
Woofer diameter:	8.0"
Power handling (program):	15 - 100W
Impedance (nominal) ohms:	8
Sensitivity dB spl (2.83V, 1m):	88 (switchable HF)
Response (Low frequency) -3 dB:	60 Hz
Max rear depth:	95 mm
Size: Round / Square grilles:	365 mm x 263 mm
Cutout (nominal):	335 mm x 233 mm
<b>Sold in - Pairs</b>	



The **8"** in-wall speaker features Q Install's superior Nano Particle mass damped polypropylene low frequency drive units with high powered coil and magnet assemblies for low distortion and high transient power capability. Full range speakers combine swivel capable silk dome mesh protected tweeters for fine system tuning together with additional high frequency level adjustment. The 8" in-wall speaker features low profile magnetic grilles for ease of installation, with optimised whole geometries for their frequency range. High order crossovers are used to ensure a smooth frequency transition on two and 3 way units, particular care has been taken to ensure that speech remains clear at all times via attention to the mid-range frequency response and reduction of all sources of colouration. Installation is made particularly flexible by ensuring that all units require the minimum of installation depth.

Model	Product code	Description / Specifications	Grille options	RRP
QI LCR65RP	QI2150	6.5" In wall LCR speaker ( <b>Sold in singles</b> )	N/A	499.95

**Speaker Specifications**

Tweeter / Tweeter diameter:	Swivel / 1" (25mm)
Woofer diameter:	6.5"
Power handling (program):	15 - 100W
Impedance (nominal) ohms:	8
Sensitivity dB spl (2.83V, 1m):	87 (switchable HF)
Response (Low frequency) -3 dB:	65 Hz
Max rear depth:	85 mm
Size: Round / Square grilles:	511 mm x 221 mm
Cutout (nominal):	483 mm x 193 mm
<b>Sold in - Singles</b>	



The **Left/Centre/Right 6.5"** in-wall speaker features Q Install's superior Nano Particle mass damped polypropylene low frequency drive units with high powered coil and magnet assemblies for low distortion and high transient power capability. Full range speakers combine swivel capable silk done mesh protected tweeters for fine system tuning together with additional high frequency level adjustment. The Left/Centre/Right 6.5" in-wall speaker features low profile magnetic grilles for ease of installation, with optimised whole geometries for their frequency range. High order crossovers are used to ensure a smooth frequency transition on two and 3 way units, particular care has been taken to ensure that speech remains clear at all times via attention to the mid-range frequency response and reduction of all sources of colouration. Installation is made particularly flexible by ensuring that all units require the minimum of installation depth.

R	QI SUB80SP	QI2250	8" In wall Subwoofer ( <b>Sold in singles</b> )	N/A	399.95
---	------------	--------	---	-----	--------

**Speaker Specifications**

Tweeter / Tweeter diameter:	n/a
Woofer diameter:	8.0"
Power handling (program):	15 - 100W
Impedance (nominal) ohms:	8
Sensitivity dB spl (2.83V, 1m):	88 (switchable HF)
Response (Low frequency) -3 dB:	50 Hz
Max rear depth:	99 mm
Size: Round / Square grilles:	287 mm x 287 mm
Cutout (nominal):	248 mm
<b>Sold in - Singles</b>	



The **8" Subwoofer** features Q Install's superior Nano Particle mass damped polypropylene low frequency drive units with high powered coil and magnet assemblies for low distortion and high transient power capability. Full range speakers combine swivel capable silk done mesh protected tweeters for fine system tuning together with additional high frequency level adjustment. The 8" Subwoofer features low profile magnetic grilles for ease of installation, with optimised whole geometries for their frequency range. High order crossovers are used to ensure a smooth frequency transition on two and 3 way units, particular care has been taken to ensure that speech remains clear at all times via attention to the mid-range frequency response and reduction of all sources of colouration. Installation is made particularly flexible by ensuring that all units require the minimum of installation depth, the maximum rear depth required is just 99mm for the Qi Sub 80SP.

## Weatherproof Series

**Moisture proof** - All models are moisture proof, with the **Weatherproof** models being suitable for more extreme use. **Stainless steel fixings** and corrosion resistant aluminium grilles are utilised together with **fully sealed** drive units to ensure no water ingress.

Model	Product code	Description / Specifications	Grille options	RRP	
	<b>Qi 65CW</b>	<b>Qi1190</b>	In ceiling weatherproof speaker  <b>(Sold in pairs and round grilles only)</b>	Round only	499.95
		<b>Tweeter</b> - 25mm, Switchable Soft dome, Swivel type <b>Woofer</b> - 6.5", Polypropylene, Fully sealed driver units <b>Impedance (Nominal) Ohms</b> - 8 <b>Response (Low frequency)</b> -3dB - 65Hz <b>Exterior diameter (Round grille)</b> - 230mm <b>Power handling</b> - 15 - 60 Watts <b>Sensitivity</b> - 87 dB <b>Maximum rear depth</b> - 84mm <b>Grille</b> - Corrosion resistant alluminium <b>Fittings</b> - Stainless steel <b>Cutout</b> - 197mm <b>Sold in - Pairs</b>			
	<b>Qi 65CWS</b>	<b>Qi1200</b>	In ceiling weatherproof Stereo speaker  <b>(Sold in singles and round grilles only)</b>	Round only	399.95
		<b>Tweeters</b> - 2 / 13mm, Switchable Soft dome, Swivel type <b>Woofer</b> - 6.5", Polypropylene, Fully sealed driver units <b>Impedance (Nominal) Ohms</b> - 8 <b>Response (Low frequency)</b> -3dB - 65Hz <b>Exterior diameter (Round grille)</b> - 230mm <b>Power handling</b> - 15 - 60 Watts <b>Sensitivity</b> - 85 dB <b>Maximum rear depth</b> - 84mm <b>Grille</b> - Corrosion resistant alluminium <b>Fittings</b> - Stainless steel <b>Cutout</b> - 197mm <b>Sold in - Singles</b>			
	<b>Qi 45EW</b>	<b>Qi3150/2</b> <b>Qi3130/2</b>	4.5 " On-wall outdoor weatherproof speaker	White Black	499.95
	<b>Qi 65EW</b>	<b>Qi3190/2</b> <b>Qi3170/2</b>	6.5 " On-wall outdoor weatherproof speaker	White Black	699.95

The **Qi 45** and **Qi 65** are attractive and compact (45) wall mounted two-way speaker systems ideally suited to both indoor or outdoor environments. Featuring a tough UV resistant ABS enclosure and aluminum speaker grille they are designed to provide many years of trouble free service whatever the weather. Their diminutive dimensions and versatile mounting brackets make them both easy to install and the perfect solution to providing music in many applications; including outdoor dining and restaurant areas and indoor public spaces and conference facilities.

Q Acoustics engineers have carefully crafted the Qi 45 and Qi 65 audio performance to deliver an exceptional combination of clarity and focused power using a rigid polypropylene driver cone, high quality crossover network and bass reflex enclosure to deliver results that comfortably exceed expectations.



Qi 45EW	Qi 65EW
<b>Sensitivity</b> - 86 dB/1W	87 dB/1W
<b>Power handling</b> - 10 W to 50 W	10 W to 80 W
<b>Impedance</b> - 8 ohms nominal	8 ohms nominal
<b>Frequency response</b> - 85 Hz to 20 kHz	80 Hz to 20 kHz
<b>Tweeter</b> - 0.5" PEI dome	1" AL dome
<b>Woofer</b> - <b>4.5"</b> Polypropylene	<b>6.5"</b> Polypropylene
<b>Dimensions</b> - (w x h x d): 135mm x 245mm x 170mm	325mm x 225mm x 180mm
<b>Sold in - Pairs</b>	<b>Sold in - Pairs</b>

Model	Product code	Description / Specifications	Finish	RRP
Qi 65LW	QE3210	Rock outdoor weatherproof speaker  (Sold in singles)	Granite only	399.95

The **Qi 65** is the perfect speaker for those who want to create music in a landscaped environment. Finished in a granite effect texture and incorporating a wide range 6.5" woofer and 1" tweeter the Qi 65 can all but disappear from conscious view when positioned within outdoor areas such as bordered patios and alpine gardens. Its rugged glass reinforced polymer cabinet construction and weatherproof cable termination allow the Qi 65 to be located at ground level making it easy to locate and install with confidence.

Q Acoustics have engineered a low resonance cabinet and optimized the driver characteristics to ensure the Qi 65 delivers a full and clear sound even at high volumes, making is ideal for high quality outdoor music reproduction, announcements or even atmospheric birdsong!



<b>Sensitivity</b> - 88 db/1W
<b>Power handling</b> - 10W to 60W
<b>Impedance</b> - 8 ohms nominal
<b>Frequency response</b> - 70 Hz to 20 kHz
<b>Tweeter</b> - 1" PEI dome
<b>Woofer</b> - 6.5" Polypropylene
<b>Dimensions</b> - (w x h x d): 330mm x 280mm x 240mm
<b>Sold in - Singles</b>

#### To get the best from your Q Install loudspeakers we recommend QED speaker cables

Speaker cable is an essential component in any Hi-Fi or Home Cinema System. More than 30 years of product development, has led to QED becoming the market leader in award winning, high performance speaker cables to suit any budget. Our designers continuously challenge the frontiers, experimenting with new materials, construction and shielding to ensure QED speaker cables will always deliver the very best possible sound.

#### QED CI Speaker Cables

Model	Product Code	Description / Specifications	Finish / Quantity	RRP / M
16/2 PVC	QE4410	Custom <b>Two core</b> , PVC, Speaker Cable	White / 150 Metre Box	2.50
16/4 PVC	QE4420	Custom <b>Four core</b> , PVC, Speaker Cable		5.00



- PVC White Flame Retardant High Performance outer Jacket.
- Metre Marking
- Available in 150m Pull - Out Box

QX16/4 LSZH	QE4010	Custom <b>Two core</b> , PVC, Low smoke, Speaker Cable	White / 100 Metre Box	5.60
QX16/4 LSZH	QE4020	Custom <b>Four core</b> , PVC, Low smoke, Speaker Cable		8.50

**Most cables feature PVC insulation, some have a basic fire rating such as CL3, etc. Unfortunately, most cables give off hazardous toxic smoke during a fire, posing a very serious health risk.** LSZH cables are made from a special compound that performs as well as PVC insulation, but crucially gives off very little smoke and no halogen toxins in the event of a fire.

Many leading **architects and builders** along with commercial and marine designers are now specifying LSZH spec cables as standard.  
Only LSZH cables meet the legislated fire specifications for boat installations.

**Each complete QED Professional cable design is fully tested to LSZH standards and reports are available on request.**

We don't just use a fire rated jacket material over an ordinary cable assembly; each complete cable design including jacket and all internal conductors has to undergo rigorous fire safety testing to the following standards:



- Low Smoke
- Zero Halogen
- Available in 100m

QX16/2 PE	QE4155	Custom <b>Two core</b> , Outdoor Speaker Cable	Black / 300 Metre Reel	5.00
QX16/4 PE	QE4165	Custom <b>Four core</b> , Outdoor Speaker Cable		9.00



- PE Water and UV Resistant Outdoor Outer Jaket . **No Conduit Required!**
- Metre Marking
- Can be Buried
- Does not react to Polystyrene Insulation (Expol), unlike some PVC Jackets.